Appl. No. 10/040,118 Amdt. dated June 17, 2004

Reply to Office action of March 24, 2004

Docket No. 47406-012600

REMARKS

Applicants would like to thank the Examiner for her guidance and her recognition that Claim 2 is patentable if written in independent form including all of the limitations of any intervening claims. Accordingly, Applicants have rewritten Claim 2 in independent form. Thus, Applicants respectfully request that herein amended Claim 2 pass to allowance.

Applicants traverse the rejection that Claim 1 is anticipated by Biunno et. al (US 6,282,782 ('782)). Nonetheless, Applicants have herein amended Claim 1 to recite further the limitation "...filling the plurality of holes of the substrate utilizing a pressurized fill head while maintaining the alignment between the plurality of holes in a substrate and the holes of the stand-off...". No new matter has been introduced with this amendment. In particular, the originally filed Specification enables this limitation for example on page 4 on lines 5-10, on page 6 on lines 5-7, and in Figure 1 (reference numeral 40 being the pressurized fill head). The '782 reference does not teach or suggest the limitation of a pressurized fill head used while maintaining alignment. Thus, Applicants respectfully request the rejection on this basis be withdrawn and herein amended Claim 1 pass to allowance.

Applicants have also added new dependant Claim 6 which adds the above-described limitation of "...filling the plurality of holes of the substrate utilizing a pressurized fill head while maintaining the alignment between the plurality of holes in a substrate and the holes of the stand-off...".

Authorization is hereby given to charge any additional fees or credit overpayment to Deposit Account No. 50-2638. Please reference Attorney Docket Number 47406-012600 when charging any payments or credits in connection with this application. If the Examiner has any

\\LA-SRV01\244374v02\47406.012600

+3105867940 From-Greenberg 06-17-04 04:03pm

T-364 P.005/005 F-379

Docket No. 47406-012600

Appl. No. 10/040,118 Amdt. dated June 17, 2004 Reply to Office action of March 24, 2004

questions, Applicants request that the Examiner contact Applicants' undersigned attorney at

(310) 586-6502.

Respectfully submitted,

Robert E. Kasody Reg. No. 50,268

Date: June 17, 2004

GREENBERG TRAURIG, LLP 2450 Colorado Avenue, Suite 400E Santa Monica, CA 90404 Phone: (310) 586-6502 Fax: (310) 586-7800 E-mail: kasodyr@gtlaw.com